

A Case Study in Object Oriented Modeling, Architecting, and Designing an Enterprise Monitoring Application

Sushil J. Louis

Genetic Algorithms Systems Lab
University Of Nevada, Reno
sushil@cs.unr.edu

John McDonnell, Doan Hohmeyer, Lisa
Heinselman, Andrew Walker
SPAWAR Systems Center
San Diego, CA
mcdonn@spawar.navy.mil

Abstract

We describe the use of object oriented techniques for the specification, architecting, and design of an enterprise monitoring application. Monitoring applications provide situational awareness and monitor aspects of an enterprise's activities. Drawing from a wide variety of static and dynamic data sources, they typically allow a user to specify items of interest, and drill down to obtain real-time or near-real time information on such items. Our paper describes the use of standard UML for modeling and the issues in architecting and designing our J2EE framework based application.

1. Introduction

Enterprise monitoring also known as business process monitoring is a subset of business process management applications. The goal is to allow members of an enterprise to obtain a view of event flow within the enterprise and to and from external entities. This view is usually tailored to the particular member's interests and needs. Many issues impact the modeling and design of business process monitoring systems, in particular, we dealt with

- Multiple static data bases
- Multiple dynamic data sources
- Multiple information update rates, and
- Asynchronous communication

An important trend in current enterprise application design is to use enterprise application frameworks such as .Net and J2EE for developing scalable, reliable, and secure enterprise applications. We chose the J2EE framework for these reasons and, in particular, for the J2EE framework's open standards and open source availability of J2EE application servers.




Figure 1: Mapping SIREN's architecture onto the J2EE framework.

Figure 1 depicts how our architecture maps into the three-tier J2EE application framework. Information flows from the bottom of the diagram (data producers) towards the top (data consumers) through entity, stateful session, and stateless session enterprise java beans. The triangle adaptor interfaces to a data source and asynchronously updates a Java Message Service (JMS) topic. The entity bean layer

then persists this updated information in a database and relates this data with existing tables in the database. The stateful session bean layer provides a façade to the database for upper level clients. The stateless session bean layer provides a façade to presentation layer clients. The system can scale to handle hundreds of messages per second while providing real-time updates to dozens of clients.

Rather than delving into the details of a proprietary system, the main focus of this work is on how UML supports the modeling of our system within the J2EE framework [1, 2]. Many object oriented modeling and design methods appeared in the 90s and Booch, Rumbaugh, and Jacobson unified the various approaches into a standardized notation for design and analysis – the Unified Modeling Language [3]. UML provides a rich set of modeling tools to describe dynamic and static aspects of the system being designed. This case study describes our experience in using UML to model the SIREN situational awareness tool. We followed a spiral development model and made extensive use of UML for modeling and for design.

The next section describes the J2EE framework, the SIREN tool, and how we mapped SIREN requirements to the J2EE framework. The section uses UML diagrams to communicate different aspects of the system and our experience in using UML for requirements elicitation and feature specification. The last section concludes with the lessons learned from this project.

2. SIREN and the J2EE framework

The Java2 Platform, Enterprise Edition (J2EE) defines a standard for developing multitier enterprise applications. J2EE simplifies enterprise applications by basing them on standardized, modular components, by providing a complete set of services to those components, and by handling many details of application

behavior automatically, without complex programming. Multitier scalable, reliable, and portable applications are hard to architect because they require bringing together a variety of skill-sets and resources, legacy data, and legacy code. In today's heterogeneous environment, enterprise applications have to integrate services from a variety of vendors with a diverse set of application models and other standards. Industry experience shows that integrating these resources can take up to 50% of application development time [5].

Security, messaging, transaction monitoring, and integration with legacy enterprise applications are all simplified within this enterprise application development framework. By providing this enterprise infrastructure, the framework allows for quick development, deployment, portability, and scalability.

SIREN is an enterprise state monitoring application that siphons data from a number of databases and data feeds, persists this data in its database, and feeds this organized data to client users. Clients specify the information that they would like to see. We use the application server's asynchronous messaging system to move data around this distributed system. Data sources are distributed over multiple servers on a network; each data source type has different control and data interfaces. Asynchronous communications among the components of this system make the system more robust.

2.1 Attaching an Adaptor

We use “adaptors” to connect to these different data sources and provide the server a façade to the underlying data source.




Figure 2: Use case for attaching a track adaptor.

Figure 2 depicts the Attach-Adaptor use case and Figure 3 shows the corresponding activity diagram.




Figure 3: Activity diagram for attaching a track adaptor.

The adaptor sends the server a request-to-attach message on the message bus. The server authenticates the adaptor, sets up a communication channel and notifies all clients of the new adaptor. This sequence of events is best denoted in the sequence diagram in Figure 4.




Figure 4: Sequence diagram for attaching a track adaptor.

Once the adaptor has registered with the server, it obtains a JMS topic and begins sending information updates to that topic. These messages trigger updates to the underlying database and corresponding

updates to client subscribed topics. The class diagram in Figure 5 shows the adaptor specific interfaces in our system. Note that the *attachTrackAdaptor* method corresponds to our attach track adaptor use case. Once an adaptor signals its existence to the server, the server calls the *attachTrackAdaptor* method to register the adaptor and begins accepting messages from the adaptor. We will describe the shutdown track adaptor use case later, the next section deals with the server use case model.




Figure 5: Interfaces for the track adaptor

2.2 Server Model

The server use case model below (Figure 6) depicts the overall operation of the server with respect to adaptor interactions.




Figure 6: The Server Adaptor interaction use case model.

programmers in refining and implementing the system. Developing an end-to-end architectural skeleton helped us gain a good understanding of implementation issues and get a feel for the system's scalability and reliability. Although we also expected the skeleton to be used as a template for further development and fleshing out of the system, we found that going through skeleton code was not as easy as going through UML and developers preferred to design and implement with little reference to the skeleton. Our next spiral development objective is to add functionality, test scalability, and bring the system up to CMM Level 3 [9].

5. Acknowledgements

This material is based upon work supported by the Office of Naval Research under contract number N00014-03-1-0104.

5. References

1. Grady Booch, Ivar Jacobson and James Rumbaugh. *The Unified Modeling Language User Guide*. Addison Wesley, 1998.
2. Sushil J. Louis, John McDonnell, and Nicholas Gizzi. "Dynamic Strike Force Asset Allocation Using Genetic Search and Case-Based Reasoning." In *Proceedings of SCI-02*, pages 423 - 428, July 2002.
3. John McDonnell, Nicholas Gizzi, and Sushil J. Louis. "Strike Force Asset Allocation Using Genetic Search." In Hamid Arabnia et al, editor, *Proceedings of the 2002 International Conference on AI*, CSREA Press, pages 897 - 901, June 2002.
4. Richard Monson-Haefel. *Enterprise JavaBeans (3rd Edition)*. O'Reilly and Associates, 2001.
5. Sun's J2EE website at <http://java.sun.com/j2ee/>.
6. BEA's website at <http://www.bea.com>
7. Sun's Java website at <http://java.sun.com>
8. Microsoft's SQLServer website at <http://www.microsoft.com/sql/default.asp>
9. The Capability Maturity Model webpage at <http://www.sei.cmu.edu/cmm/cmm.sum.html>